



U.S. Department
of Transportation

Pipeline and
Hazardous Materials
Safety Administration

IAEA CERTIFICATE OF COMPETENT AUTHORITY
SPECIAL FORM RADIOACTIVE MATERIALS
CERTIFICATE USA/0541/S-96, REVISION 2

East Building, PHH-23
1200 New Jersey Avenue SE
Washington, D.C. 20590

This certifies that the source described has been demonstrated to meet the regulatory requirements for special form radioactive material as prescribed in the regulations of the International Atomic Energy Agency¹ and the United States of America² for the transport of radioactive material.

1. Source Identification - J.L. Shepherd Model No. 7810-8.
2. Source Description - Cylindrical double encapsulation made of Type 304 stainless steel and heliarc seal welded. Approximate external dimensions are 6.0 mm (0.236 in.) in diameter and 8.0 mm (0.315 in.) in length. Construction shall be in accordance with attached J.L. Shepherd Drawing No. A-0517-TC, dated December 10, 1997.
3. Radioactive Contents - Not more than 6 GBq (160 mCi) of Cobalt-60 as a solid metal.
4. Quality Assurance - Records of Quality Assurance activities required by Paragraph 310 of the IAEA regulations¹ shall be maintained and made available to the authorized officials for at least three years after the last shipment authorized by this certificate. Consignors in the United States exporting shipments under this certificate shall satisfy the applicable requirements of Subpart H of 10 CFR 71.
5. Expiration Date - This certificate expires on March 31, 2013.

¹ "Regulations for the Safe Transport of Radioactive Material, 1996 Edition (Revised), No. TS-R-1 (ST-1, Revised)," published by the International Atomic Energy Agency(IAEA), Vienna, Austria.

² Title 49, Code of Federal Regulations, Parts 100-199, United States of America.

CERTIFICATE USA/0541/S-96, REVISION 2


This certificate is issued in accordance with paragraph 804 of the IAEA Regulations and Section 173.476 of Title 49 of the Code of Federal Regulations, in response to the March 10, 2008 petition by J.L. Shepherd, San Fernando, CA, and in consideration of other information on file in this Office.

Certified By:





Mar 21 2008

(DATE)

 Robert A. Richard

Deputy Associate Administrator for Hazardous Materials Safety

Revision 2 - Issued to extend the expiration date.



1. MATL = 304 STAINLESS STL.
2. END CAPS TO HAVE .006 REGISTER & .0005 INTERFERENCE FIT.
3. CAPSULES TO BE CERTIFIED "SPECIAL FORM".
4. REMOVEABLE CONTAMINATION $\leq 5 \times 10^{-5}$ M CI.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCE		J. L. SHEPHERD <i>and Associates</i>			
DECIMALS .X $\pm .030$.XX $\pm .010$.XXX $\pm .005$	FRACTIONS $\pm 1/16$	ANGULAR $\pm \phi 30^\circ$	TITLE TYPE 7810 Co-60 CAPSULE FOR (160mCi)7810-8 & (500mCi)7810-9		
DRAWN D. TRAN	DATE 10DEC97	SIZE A	MODEL	DWG NO. A-0517-TC	REV
APPROVED <i>[Signature]</i>		SCALE NONE		SHEET 1 OF 1	



U.S. Department
of Transportation

Pipeline and
Hazardous Materials
Safety Administration

East Building, PHH-23
1200 New Jersey Avenue SE
Washington, D.C. 20590

CERTIFICATE NUMBER: USA/0541/S-96, Revision 2

ORIGINAL REGISTRANT(S):

Ms. Mary Shepherd
Vice President
J.L. Shepherd
1010 Arroyo Ave.
San Fernando, 91340-1822
USA